

Envy Super Concentrate

PRODUCT AND COMPANY IDENTIFICATION

Product Identifier:Envy Super ConcentrateSDS Number:H698077Revision Date:May 21, 2018Version:45-80H2

Manufactured for:

1

2

Canadian Contact:

Kärcher North America 4555 Airport Way Denver, CO 80239 Phone: 303-738-2400 Email: info@karcherna.com Kärcher North America 6535 Millcreek Drive, Unit 67 Mississauga, ON L5N 2M2 Phone: 905-672-8233

Emergency Information: INFOTRAC 1-800-535-5053 International 1-352-323-3500

HAZARDS IDENTIFICATION

Classification of Substance

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Acute toxicity, 5 Oral Health, Skin corrosion/irritation, 3

Health, Serious Eye Damage/Eye Irritation, 2 B

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING

GHS Hazard Pictograms:

No GHS pictograms indicated for this product

GHS Hazard Statements:

H303 - May be harmful if swallowed H316 - Causes mild skin irritation

H320 - Causes eye irritation

GHS Precautionary Statements:

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P337+313 - If eye irritation persists: Get medical advice/attention.

. . . .

....

Route of Entry:	Eye; Skin; Inhalation
Target Organs:	Eye; Skin; Respiratory system
Inhalation:	Respiratory tract irritation may occur with exposure to a large amount of material.
Skin Contact:	May cause irritation, tearing and redness.
Eye Contact:	Irritating to eyes; eye damage may occur.
Ingestion:	Small amounts swallowed incidental to normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause injury.

COMPOSITION/INFORMATION ON INGREDIENTS

Chemi	cal I	Ingredients
CAS#	%	Chemical Name
34590-94-8	6%	Dipropylene glycol methyl ether
27176-87-0	4%	Sulfonic Acid DDBSA
112-34-5	6%	Diethylene glycol monobutyl ether

OSHA Regulatory Status:

This SDS contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

4	FIRST AID MEASURES	
Inhalation:	If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.	
Skin Contact:	Wash with soap and water. If irritation persists consult medical personnel.	
Eye Contact:	Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Get immediate medical attention.	
Ingestion:	If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured party is conscious, give two glasses of water. Seek medical attention.	
5	FIRE FIGHTING MEASURES	

Flash Point:	100 ° C / 212 ° F
Flash Point Method:	Closed Cup

Wear self-contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

ACCIDENTAL RELEASE MEASURES

Isolate area; keep unnecessary personnel away. Do not discharge into drains. Ventilate closed spaces before entering. Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. Wear appropriate protective equipment and clothing during cleanup. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

7	HANDLING AND STORAGE
Handling Precautions: Storage Requirements:	Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Store out of reach of children; keep container closed; store in a cool, well-ventilated place.
8	EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).

Personal Protective Equipment:

6

HMIS PP, B | Safety Glasses, Gloves

Dipropylene glycol methyl ether 34590-94-8 OSHA PEL 100 ppm/ 600 mg/m3

9	PHYSICAL AND CHEMICAL PROPERTIES
Appearance:	Clear dark green
Physical State:	Liquid
Odor:	Floral
Solubility:	Soluble
Specific Gravity or Dens	ity: 8.87 lb/gal
Potentia Hydrogenii:	9.74 as is

STABILITY AND REACTIVITY

Chemical Stability: Conditions to Avoldentification:	Product is stable under normal conditions. None known
Materials to Avoldentification:	None known
Hazardous Decomposition:	Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.
Hazardous Polymerization:	Will not occur.

TOXICOLOGICAL INFORMATION

Toxicity Data:

10

11

Dipropylene glycol methyl ether 34590-94-8

Oral (LD 50): 5400 uL/kg - Rat

Inhalation (LC 50): Not listed on RTECS

Skin irritation: Mild - Rabbit

Eye irritation: Mild - Rabbit

Sensitation: Not considered an occupational sensitizer

Sulfonic Acid DDBSA 27176-87-0

Oral (LD 50): 650 mg/kg - Rat

Inhalation (LC 50): Not listed on RTECS

Skin irritation: Severe

Eye irritation: Severe

Sensitation: Not considered an occupational sensitizer

Diethylene glycol butyl ether 112-34-5

Oral (LD 50): 5660 mg/kg - Rat

Inhalation (LC 50): Not listed on RTECS

Skin irritation: Moderate

Eye irritation: Severe

Sensitation: Not considered an occupational sensitizer

12 ECOLOGICAL INFORMATION

On the basis of available information, this material is not expected to produce any significant environmental effects when recommended use instructions are followed.

13 DISPOSAL CONSIDERATIONS

Recommendation: Consult with the disposal agency and the relevant authorities. Empty containers may be cleaned with water.

14 TRANSPORT INFORMATION

Ship in accordance with 49 CFR parts 100-185. Non-hazardous for air, sea and road freight.

15

REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Dipropylene glycol methyl ether (34590-94-8) [6%] MASS, OSHAWAC, PA, TSCA, TXAIR, WHMIS

Sulfonic Acid DDBSA (27176-87-0) [4%] CERCLA, CSWHS, MASS, PA, TSCA, WHMIS

Diethylene glycol monobutyl ether (112-34-5) [6%] TSCA, WHMIS

CERCLA = Superfund clean up substance CSWHS = Clean Water Act Hazardous substances MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TSCA = Toxic Substances Control Act TXAIR = TX Air Contaminants with Health Effects Screening Level WHMIS = Workplace Haz Mat Info Sys Canada


CALIFORNIA PROPOSITION 65 CARCINOGENS

Warning: The following ingredients present in the product are known to the state of California to cause cancer.

<u>Chemical Name</u>	<u>CAS-No.</u>
Cocamide DEA	68603-42-9
Diethanolamine	111-42-2
Formaldehyde	50-00-0
1,4-Dioxane	123-91-1

16 OTHER INFORMATION

NFPA:Health = 1, Fire = 1, Reactivity = 0, Specific Hazard = n/aHMIS III:Health = 1, Fire = 1, Physical Hazard = 0HMIS PPE:B - Safety Glasses, Gloves



This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager